

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>2</b>	<b>264490</b>	<b>waveform</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/12 09:08</b>
<b>3</b>	<b>34</b>	<b>((345/667-671).CCLS.) and waveform</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/12 09:08</b>
<b>4</b>	<b>17</b>	<b>("5168270"   "5192945"   "5600347"   "5808596"   "5818416"   "6061103"   "6067071"   "6075513"   "6118429"   "6124842"   "6181317"   "6188382"   "6191772"   "6198467"   "6331862"   "6366289"   "6384867").PN.</b>	<b>USPAT</b>	<b>2004/02/12 09:09</b>
<b>5</b>	<b>3</b>	<b>("4771279"   "5986635"   "6023262").PN.</b>	<b>USPAT</b>	<b>2004/02/12 09:10</b>
<b>6</b>	<b>14</b>	<b>("4110564"   "4755811"   "4809189"   "4837561"   "5028914"   "5039937"   "5075618"   "5129722"   "5365254"   "5434954"   "5517105"   "5519820"   "5526473"   "5550963").PN.</b>	<b>USPAT</b>	<b>2004/02/12 09:14</b>
<b>7</b>	<b>7</b>	<b>("4257104"   "4607215"   "4611164"   "4801873"   "4839582"   "4868785"   "5075618").PN.</b>	<b>USPAT</b>	<b>2004/02/12 09:16</b>
<b>1</b>	<b>189</b>	<b>((345/667-671).CCLS.) and resolution</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/12 09:38</b>
<b>-</b>	<b>988</b>	<b>((702/67) or (345/441)).CCLS.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/11 14:37</b>
<b>-</b>	<b>8930</b>	<b>"hardware description language" or HDL or "hardware design language"</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/05 11:50</b>
<b>-</b>	<b>8860</b>	<b>"hardware description language" or HDL or "hardware design language" and waveform</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/02/11 15:48</b>

-	8856	"hardware description language" or HDL or "hardware design language" and waveform and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	4	((702/67) or (345/441)).CCLS.) AND ("hardware description language" or HDL or "hardware design language" and waveform and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:22
-	1	Naroska-Edwin-Kurt.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:23
-	1	Lai-Fei-Pei.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:23
-	1	Chen-Chung-Chia.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:23
-	8999	"hardware description language" or HDL or "hardware design language" and waveform and display and (measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	9006	"hardware description language" or HDL or "hardware design language" and waveform and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:25
-	9006	"hardware description language" or HDL or "hardware design language" and waveform and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	9006	"hardware description language" or HDL or "hardware design language" and waveform and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	9083	"hardware description language" or HDL or "hardware design language"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26

-	9010	"hardware description language" or HDL or "hardware design language" and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	8999	"hardware description language" or HDL or "hardware design language" and waveform and display and (measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:26
-	8999	"hardware description language" or HDL or "hardware design language" and waveform and display and (measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval and predetermined same image	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:27
-	8999	"hardware description language" or HDL or "hardware design language" and waveform and display and (measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval and predetermined same image and time same resolution same determine same minimum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:27
-	0	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval and predetermined same image and time same resolution same determine same minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:29
-	705	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:28
-	142	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:28

-	0	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval and time same resolution same determine same minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:29
-	0	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval and time same resolution same determine same minimum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:29
-	142	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:37
-	852	display same dependent same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:32
-	3869	display same depend\$3 same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:32
-	18	(display same depend\$3 same resolution) and (((702/67) or (345/441)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:32
-	0	("hardware description language" or HDL or "hardware design language" and waveform and display) and ((measur\$5 or sens\$3 or detect\$3 or analy\$4 or test\$3 or identif\$5 or determin\$3 or monitor\$3) same resolution and index\$3 and range and interval) and (depend\$3 same resolution same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:37
-	20	("hardware description language" or HDL or "hardware design language" and waveform and display) and (depend\$3 same resolution same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:49

-	10	(transition same event) and (display same resolution) and ("hardware description language" or HDL or "hardware design language") and (predetermined same image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 11:51
-	16	(transition same event) and (display same resolution) and ("hardware description language" or HDL or "hardware design language")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:30

-	296	("4599007" "5995756" "6476833" "6387696" "5287473" "5475844" "5515497" "5745681" "5765006" "5859935" "6026413" "6233603" "6265198" "6281345" "6288035" "6308458" "6330566" "6384203" "6444446" "6448035" "6453329" "5235620" "5727065" "5872844" "5987548" "6009401" "6148405" "6199052" "6332133" "4918490" "5574902" "6012071" "6101283" "4051818" "4380739" "4446437" "4457720" "5210622" "5247437" "5270530" "5337161" "5350303" "5483491" "5493668" "5546579" "5551428" "5615015" "5629770" "5646744" "5671359").pn. ("5737533" "5737725" "5754308" "5761686" "5768476"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 13:31
Search History 2/12/04 5:08:22 AM Page 6				
C:\APPS\east\workspaces\10004213.wsp				

-	0	(transition same event) and (display same resolution same waveform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:30
-	21	(transition same event) and (display same resolution same waveform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 14:30
-	186	(702/67).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:31
-	5	("4072851"   "4104725"   "4455613"   "4592369"   "5519820").PN.	USPAT	2004/02/11 14:50
-	0	5877620.URPN.	USPAT	2004/02/11 14:55
-	5	("3576948"   "4143365"   "4509530"   "4713771"   "4755960").PN.	USPAT	2004/02/11 15:07
-	3	5079720.URPN.	USPAT	2004/02/11 15:13
-	11	((702/67).CCLS.) and circuit.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:32
-	5	display same range same zoom same waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:42
-	72	display same range same zoom same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:41
-	9160	display and range and zoom and resolution adn ((345/441).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:42
-	1	display and range and zoom and waveform and ((345/441).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:44

-	10	display and range and zoom and resolution and ((345/441).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:42
-	10	display and range and waveform and ((345/441).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:44
-	8874	"hardware description language" or HDL or "hardware design language" and (((702/67).CCLS.) or ((345/441).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 15:48
-	4	("hardware description language" or HDL or "hardware design language") and (((702/67).CCLS.) or ((345/441).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:17
-	232	waveform same display and transition same event	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:19
-	85	waveform same display and transition same event and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:38
-	45	(702/70).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:38
-	63	(702/71).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:40
-	271	(702/66).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:43
-	807	(345/441).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:55



-	20	((345/441).CCLS.) and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:58
-	6623	minimum same time same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:58
-	3	(minimum same time same resolution) and ((345/441).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:58
-	26	((345/441).CCLS.) and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:58
-	6	(((345/441).CCLS.) and waveform) not (((345/441).CCLS.) and waveform)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 16:58
-	137	minimum same time same resolution and transition same event	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/11 17:08
-	222	((345/441).CCLS.) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 09:05

(4599007  
5995756  
6476833  
6387696  
5287473  
5475844  
5515497  
5745681  
5765006  
5859935  
6026413  
6233603  
6265198  
6281345  
6288035  
6308458  
6330566  
6384203  
6444446  
6448035  
6453329  
5235620  
5727065  
5872844  
5987548  
6009401  
6148405  
6199052  
6332133  
4918490  
5574902  
6012071  
6101283  
4051818  
4380739  
4446437  
4457720  
5210622  
5247437  
5270530  
5337161  
5350303  
5483491  
5493668  
5546579  
5551428  
5615015  
5629770

5646744  
5671359) .pn.  
(5737533  
5737725  
5754308  
5761681  
5761686.  
5765176  
5790793  
5832137  
5873109  
5910821  
5940846  
5946461  
5963968  
5970484  
5978828  
5982506  
5995721  
6002853  
6006281  
6026436  
6026469  
6049391  
6065048  
6067478  
6070179  
6081261  
6086706  
6097389  
6128629  
6158003  
6161195  
6219069  
6219069  
6246993  
6297891  
6327599  
6433835  
6446100  
4614502  
5892910  
6161210  
6266811  
6513153  
6134533  
6403337  
6408281

6415265  
6448043  
6475753  
5899975) .pn.  
(6154738  
6418441  
6675354  
5856163  
4786161  
5737601  
5806075  
6085237  
6243702  
4453220  
4463420  
4759022  
4845089  
4953183  
5026117  
5202550  
5235418  
5249230  
5265232  
5339430  
5343409  
5367661  
5386559  
5402490  
5404525  
5410703  
5491563  
5493606  
5499298  
5504879  
5505494  
5532142  
5535207  
5551055  
5555418  
5579478  
5598403  
5600832  
5608625  
5608783  
5615400  
5635012  
5638066  
5644771

10064213\_EAST.txt

5652422  
5664098  
5671435  
5675825  
5680027  
5683598) .pn.